

**Goertek**

**GPMS Product Environmental  
Management System  
Operation Guide**

**( Ver 1.0 )**

**GPM**

**2020.06.12**

# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection

Change

Update Expired Report

Online survey

Q&A

# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection

Change

Update Expired Report

Online survey



Q&A



Data preservation disorder	?	!	Save on the system according to its framework
Data loss	?	!	The system backs up automatically
When DRI changes , data loss	?	!	Access to the system by the same user name to view all the information
Report is not updated timely	?	!	Reminded by system automatically
Hazardous substances can not be identified	?	!	Hazardous substance is identified with the correct CAS NO

The browser should satisfy the following(Google and Firefox are preferred).

If you can't upload attachments, please contact your internal IT staff to confirm whether there is internal restrictions.

There are no special requirements about system.





1 Enter Collaborative System.


2 User name : You can share an account with other modules, also can register a separate account.

3 Password : Please change the password immediately after logging in for the first time.

4 Language: Please select the language according to your requirements.

5 Login: You can enter the system.

6 Enter the G-SRM system: Goertek Environmental management is a part of SRM System..



The screenshot shows a web application interface with a dark blue navigation menu on the left and a main content area. The navigation menu includes items like 'Personal workbench', 'Supplier operation co...', 'Environmental Manaq...', 'Product List', 'List of Homogeneous...', 'The Parts List', 'Online Survey', 'User Information', 'Help Document', and 'Company Information'. The main content area has a 'Personal workbench' header, a 'Todo' section with 'No Current Backlog', and 'Announcements' with a list of items. A 'The Related Documents' section is also visible with several document links. Numbered callouts (1-8) are placed over the interface to highlight specific features.

1 There are many modules under the navigation menu. Select "Environmental Management" module.

2 Product List : You can view and upload product data.

3 List of Homogeneous Material : You can view and upload homogeneous material data.

4 The Part List : You can view and upload part material data.

5 Online Survey : When we need your help to survey environmental information , Please click this button.

6 Announcements: You can view environmental announcements here.

7 User information : You can Change password here.

8 Company information : You can manage the contact information here.

Homogeneous material referred to as "HM"

# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection

Change


Update Expired Report

Online survey

Q&A



## Procedure of Upload Data



# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data-Build HM

Rejection

Change

Update Expired Report

Online survey

Q&A

Supplier operation co...  
Environmental Manaq...  
Product List  
**List of Homogeneous...** 1  
The Parts List  
Online Survey

Search Criteria  
HM Code:  HM Name:  Se  
Test Report No:  GoerTek BU:   
Search Reset

Homogeneous Material List  
2 **Create** Delete

1 Click "List of Homogeneous Material"

2 Click " Create" , the following interface will pop up.

Input essential information of the HM you will create. It can't be saved if the entire information is incomplete. **Note:**

- The HM Code/ Revision/Supplier needn't to be input, as they will be created automatically.
- Self-defined No: Encoding naming without special requirements. However, you need to search out the Self-defined No. when create the component and product, it is commended to build a offline list which can facilitate you to look up the Self-defined No.
- The agent/Vendor : You need to fill in the agent name, if the raw material from agent. (he two position must fill in company full name)

3

Goertek G-SRM 供应商平台  
当前位置: 环保管理>均质材料

Base Information

Save Info 4 Revision HM Copy

HM Code: 自动生成-autogeneration Revision:  Self-defined No:  HM Name:   
HM Class: -Please select 请选择 Vendor:  HM Type:  Supplier:   
Goertek BU: SPK 代理商:  3

4 Click "Save Info" to save the essential HM information you have input. **Note:** You can't proceed with the next step if you haven't click "Save Info" .

当前位置: 环保管理>均质材料

## Base Information

HM Code:  Revision:  Self-defined No:  HM Name:   
HM Class:  Vendor:  HM Type:  Supplier:   
Goertek BU:  代理商:

## 均质材料

CAS_NO	Chemical Name	Content(...)	Exempt Item	Remark	Dele...
1 1035	POLYCARBONAT	60			<input type="button" value="X"/>
2 9003-56-9	ACRYLONITRILE-BUTADIENE-ST	20			<input type="button" value="X"/>
3 181028-79-5	Other <input type="text" value="Aromatic polypl"/>	15			<input type="button" value="X"/>
4 Secret	colorants, unspecified	5			<input type="button" value="X"/>

File Name	Delete
1 <input type="text" value="MSDS.pdf"/>	<input type="button" value="X"/>

5

Click "MSDS" .

6

Click "Add" to add chemical composition information.

7

- Input all the chemical composition in the MSDS
- **Chemical name should be in English.**
- CAS NO. and Chemical name should be selected from the pull-down list.
- "Secret" can be selected as privacy, Chemical name should be input manually in this situation.
- Input CAS NO., Chemical name, if corresponding chemical name can't be find in the pull-down list , you can select "other" and input the chemical name manually.
- **Contact Goertek GPM team to add the CAS NO. which you can't find from the pull-down list to the system library.**
- The sum of the content must be 100%.
- Select the corresponding "Exempt Item" when it includes exempted substance.

8

Click "Save Chemical" .

9

Click "浏览" to select the MSDS file, Click "Up Files" .

# Upload data-Build HM

Base Information

Save Info Commit History Version Approver Log HM Copy

HM Code: HM201803001238 Revision: 5 Self-defined No: YH8通用

HM Name: 吸音棉 三聚氰胺 HM Class: Other Organic Materials Vendor: 天津渤海海绵有限公司

HM Type: YH8 Supplier: 歌尔股份有限公司-M事业部 Goertek BU: SPK

代理商:

均质材料

MSDS Test Report Information 10

Test Report Files

Add 11

Test Item	Test Report No	Test Laboratory	Test Date	Validity Peri	Due Time	Test Report Files	Operation
1				1	2021/06/06	浏览... 14	Save 15

Select test items

Select Category

- RoHS (4 Items)
- RoHS (6 Items)
- RoHS2.0
- Halogen
- Phthalates 1
- Phthalates 2
- Antimony(Sb)
- Beryllium(Be)

Test Item

- Pb (RoHS2.0)
- Cd (RoHS2.0)
- Hg (RoHS2.0)
- Cr6+ (RoHS2.0)
- PBBs (RoHS2.0)
- PBDEs (RoHS2.0)
- DBP (RoHS2.0)
- BBP (RoHS2.0)

Select 13

10 Click "Test Report Information" to submit test report information .

11 Click "Add" , then a row where testing Report information should be input is created .  
➤ The row is one to one correspondence of the test report, Click "Add" to add rows when there are more than one report.  
➤ Test Item, Test Laboratory and Test Date should be selected from the pull-down list.

12 Click "...", check the testing category boxes in the popup dialogs.

13 Then click" Select ".

14 Click "Choose file" to select test report to upload.  
**Note:** Test report can't be uploaded if the name of the report contains special symbol such as #, ?, %, &, + etc.

15 Click "Save" to save information.

※ Phthalates1 : BBP、DBP、DEHP、DIBP  
※ Phthalates2 : Other phthalates except BBP、DBP、DEHP、DIBP

Test Result 18

Save Tested Result Batch Setting NA Batch Setting ND Test results in this column to fill in the ND, NA or specific values

<input type="checkbox"/>	Classification Of Hazardous Substances	Hazardous Substance	Test Result	Max Limit Content	Testing Comp	Exempt Item	Remark	Delete
1	<input type="checkbox"/> ROHS	Cd	ND	ND	ppm	<input type="checkbox"/>		
2		Pb	ND	50	ppm	<input type="checkbox"/>		
3		Hg	ND	ND	ppm	<input type="checkbox"/>		
4		Cr6+	ND	ND	ppm	<input type="checkbox"/>		
5		PBBs	ND	ND	ppm	<input type="checkbox"/>		
6		PBDEs	ND	ND	ppm	<input type="checkbox"/>		
7	<input type="checkbox"/> Halogen	Cl	98	900	ppm	<input type="checkbox"/>	<span style="border: 1px solid orange; padding: 2px;">16</span>	
8		Br	ND	900	ppm	<input type="checkbox"/>		
9		BBP	ND	100	ppm	<input type="checkbox"/>		
10		DBP	ND	100	ppm	<input type="checkbox"/>		
11		DEHP	66	100	ppm	<input type="checkbox"/>		

17

Fill testing results of hazardous substances .

- Test result: Fill ND or specific testing results in accordance with the test report. (The data will turn to be red if the result exceeds the limitation.) Fill NA for chemicals which are not tested.

16 ➤ NA or ND can be set in batches after checking the box before the classification of hazardous substances.

NA : Not Available  
 ND : Not Detected , the testing result of the Chemical below the detection limit.

- When the testing result exceeds the maximum limit of the hazardous substance and can be exempted, please select corresponding Exempt Item.

17 Drag the scroll bar to view all testing items.

18 Click "Save tested result" , and the Homogeneous material is created.

Naming rule of uploaded files :

Testing report: : HM name \_ testing items \_ test report NO. \_ test date

MSDS : HM name \_ vendor \_ MSDS/Composition sheet \_ date

19 Declaration of Environmental Compliance : Company name(\_ Part NO.) \_ Sign-off date (Note: Part NO. should be added if the declaration is signed in part NO. )

The files must be named strictly according to the above rules, otherwise , it can' t be approved.

## Base Information

Save Info History Version Approver Log HM Copy

HM Code:	HM202003004051	Revision:	1
Self-defined No:	1	HM Name:	
HM Class:	Other Plastics and Rubb	Vendor:	
HM Type:		Supplier:	
Goertek BU:		代理商:	

## 均质材料

MSDS Test Report Information

Test Report Files

Add Edit

Test Item	Test Report No	Test Laboratory	Test Date	Validity Pe	Due Time	Test Report Files
Pb,Cd,Hg,Cr6+,PBBs,PBDEs,BBP,DBP,DEHP,DIBP		Other	2018/07/24	2	2020/07/23	<a href="#">.2 black</a>

19

## Base Information

Save Info History Version Approver Log **HM Copy** 21

HM Code: HM202003004051 Revision: 1

Self-defined No: 1 HM Name:

HM Class: Other Plastics and Rubb Vendor:

HM Type: Supplier:

Goertek BU: 代理商: 20

When the created HM is supplied to more than one BU, it can be copied in the same user account.

Select BU from " Goertek BU" .  
e.g. , Select "SPK" when copy the HM created in MIC to SPK.

Click "HM Copy"  
Then the HM is copied to the selected BU.

## 均质材料

MSDS Test Report Information

Test Report Files

Add Edit

Test Item	Test Report No	Test Laboratory	Test Date	Validity Pe	Due Time	Test Report Files
Pb,Cd,Hg,Cr6+,PBBs,PBDEs,BBP,DBP,DEHP,DIBP		Other	2018/07/24	2	2020/07/23	.2 black



# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data-Build Parts

Rejection

Change


Update Expired Report

Online survey


Q&A

Parts need to be built in the following cases :

1. When product contains complex components, each component needs to build a Part . If the product is only composed of HM this step can be skipped,
2. When certain component are frequently used in different products , building Parts is needed . For example : if a connector is used in many Cable lines , you can build the connector Part that can be used directly in products.



1 Click on "The Parts List" , then parts list interface will be presents.



2 Click on " New " , then enter into Component interface.

当前位置: 环保管理 > 部件列表

Component Information

Component Code: **1** Component Name: Component Self-defined No: **2** Component Weight: **3** Unit: **4**

Homogeneous Material

**5** Add HM Up Down Save

Homogeneous Mate	HM Weight	Unit	Content	HM Name	Supplier self-defined H	Supplier Code	HM Type	HM Class	Vendor
<input type="checkbox"/>									

Homogeneous Material

Homogeneous Material No. HM202006001815 HM Type

Self-defined No HM Name

Search

[HM202006001815]WIRE(1)  [HM202006001815]WIRE(1)

**7** Select Remove

**8** OK Cancel

**1** Fill in the "Component Name" .

**2** Fill in the "Component No" . Make a check list in order to internal queries

**3** Fill in the "Component Weight" .

**4** Select the unit of weight .

**5** Click on "Add HM" ,  
A "homogeneous material" dialog box appears.

**6** Import "Homogeneous Material No" , Click on "Search" , then you can find the HM already built

**7** Designate the HM, Click on "Select" , then you can designate the HM. If you chose the wrong one , select it in the right frame and click on "Remove" .

**8** Click on " OK" , adding a HM is completed. If the component contains varieties of HM , repeat the above steps to add more.

## Component Information

Component Code:  Component Name:  Component Self-defined No:  Component Weight:  Unit

## Homogeneous Material

3

4

4

<input type="checkbox"/>	Homogeneous Material	HM Weight	Unit	Content	HM Name	Supplier self-defined HM	Supplier Code	HM Type	HM Class	Vendor
<input type="checkbox"/>	HM202006001523	0	g	0.00%	adhesive film	018	PP0002	Other Plastics	Other Plastics and Rub	
<input type="checkbox"/>	HM201903000852	0	g	0.00%				Others	其他	

1

1 If added a wrong homogeneous material , designate and delete it..

2 Fill in each of the HM weight , and ensure that the sum of HM weight is consistent with the component weight

3 Designate the HM , then you can move it up and down.

4 After completing the above steps , click on "Save" .

※ If the product contains varieties of components , repeat the above steps to build more.

# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data-  
Build Products

Rejection


Change

Update Expired Report

Online survey

Q&A

# Upload data-Build Products



1 Click on "GPM List" , then "GPM List" interface presents

2 Click on GPM No , then "GPM Product Detail" interface Presents.

Search Criteria

Goertek Product 歌尔事业部: Status: --All-- Search Reset

Product No: Name:

Product List

Product Copy

	<input type="checkbox"/>	GPM No	Revision	Goertek Product No	Product Description	Product Name	Product Type	Supplier Name	Supplier Site
1	<input type="checkbox"/>	GPM2019010000437	2	320000302235					
2	<input type="checkbox"/>	GPM2020030000108	2	308000132285					

# Upload data-Build Products

The screenshot shows a software interface for building products. At the top, there are buttons for 'Add Component', 'Add HM', 'Remove', and 'Save'. A 'Product Weight' field is set to 2, and the 'Unit' is 'mg'. Below this is a table with columns: No., Component, Weight, Unit, Quant, HM Code, HM Name, HM Type, and HM Class. Two rows are visible, with the first row highlighted in yellow. A dialog box titled 'Component' is open, showing fields for 'Component Code' (CP201910000263), 'Self-defined No.', and 'Component Name'. A 'Search' button is next to the name field. Below these fields are two lists of components, with the first item in each list selected. 'Select' and 'Remove' buttons are positioned between the lists. At the bottom of the dialog, there are 'OK' and 'Cancel' buttons.

No.	Component	Weight	Unit	Quant	HM Code	HM Name	HM Type	HM Class
<input type="checkbox"/>	HM201711001241	1	mg	-	HM201711001241			Other Organ
<input type="checkbox"/>	HM201807000667	1	mg	-	HM201807000667			Other Organ

1 Click on " Add Component " or "Add HM" , "Component" or "HM" dialog box will be present.

2 Input Component Code or HM Code Click on "Search."

3 Designate the Component / Homogeneous Material , Click on "Select" . If chose the Wrong One, you can remove it as the step as building components.

4 After completing the above steps , click on "OK" . The addition is successful.

5 Fill in the component weight , and select the unit of weight. Ensure that the sum of component /homogeneous material weight is consistent with the product weight.

6 If chose the wrong One, designate the Component / HM Click on "Remove" to delete it.

7 Ensure that the information is verified , Click on "Save" . And then the product is done.

# Upload data-Build Products

当前位置: 环保管理>产品列表

Essential Information

History Version | Approve | **Submit** | **Declaration**

Goertek Product No.: 308000432385 Product Description: 阻尼, HF, tape, mesh

Product Name: 阻尼 Supplier Code: T12872

Compliant environmental requirements  
 If does not compliant environmental requirements, please fill in the non-compliance requirements and instructions:

浏览... 未选择文件. Upload

File Name	Operation
1 环保符合声明	Download   Delete
2	Download   Delete

1 Click on "Declaration of Environmental Compliance"

2 Choose whether conform to the requirements of environmental protection , if not , fill in description.

3 Upload the DoC

4 Ensure that the information is verified , Click on "Submit" , And then the product is committed successfully.

5 After committing it , back to GPM List to check it , the status is "Audit" .

Search Criteria

Goertek Product No: 320000302235 Product Name: Goertek BU: Status:

Product List

Product Copy

GPM No	Revis	Goertek Product	Product Description	Product Name	Product	Supplier Name	Supplier Site	Request Complete	Status
1		<a href="#">GPM2019010000437</a>	1	320000302235				2019/01/21 12:00:00	Audit



# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection


Change

Update Expired Report

Online survey

Q&A

## Procedure of dealing with rejection



# Rejection-Product Rejection

发件人: [esp.noreply@goertek.com](mailto:esp.noreply@goertek.com) [<mailto:esp.noreply@goertek.com>]

发送时间: 2019年1月30日 09:49

收件人: [milylee@hd-flex.com](mailto:milylee@hd-flex.com)

抄送: [fuvang.xin@goertek.com](mailto:fuvang.xin@goertek.com)

主题: Goertek GPMS产品 退件通知-[需求编号: 309000318699]

尊敬的供应商: [REDACTED]有限公司,

贵公司供给我司的以下物料, 经我司审核, 存在需改善项, 请登陆系统查看退件原因并改善。

Goertek物料编号	版本号	物料名称	供方名称	要求完成日期	采购负责人	邮箱
309000318699	1	FPC, HF, 黄色, 异形(不规则), 42*9.7*0.12mm, FCCL, SUS304, 0.1mm, 三层, 镀金	[REDACTED]有限公司	2019/1/25 0:00:00	辛福阳	[REDACTED]@tek.com

歌尔股份有限公司

2019/1/30

注意:

1. 此邮件由歌尔e-SP供应商平台自动发出, 请勿直接回复, 如有问题请联系对应的业务接口人;
2. e-SP平台不支持IE11以下版本的IE浏览器, 建议使用版本较新的火狐浏览器、谷歌浏览器、360浏览器或搜狗浏览器。

1

After Goertek audit , if there are some problems ,product will be rejected .Please log on the Goertek e-SP system to modify the problems.

# Rejection-Product Rejection

Environmental Mana...  
Product List 1

Search Criteria

Goertek 308000432385 Product 歌尔事业部: Status: Rejected Search Reset 2

Product No: Product List Name: Product Copy 3

<input type="checkbox"/>	GPM No	Revs	Goertek Product	Product Description	Product Pro	Sup	Sup	Request Complete	Status	Rejected Reason	Remark
<input type="checkbox"/>	<a href="#">GPM2019010000656</a>	1	308000432385			歌尔	潍坊	2019/01/30 12:00:0	Rejected		
<input type="checkbox"/>	<a href="#">GPM2019010000056</a>	1	308000432107	5+NET0.0		歌尔	潍坊	2019/01/10 12:00:0	Rejected		
<input type="checkbox"/>	<a href="#">GPM2018070001143</a>	1	303000150896	peek compo	组	歌尔	潍坊	2018/08/04 12:00:0	Rejected		
<input type="checkbox"/>	<a href="#">GPM2018070001142</a>	1	303000150895	HF,peek compo	组	歌尔	潍坊	2018/08/04 12:00:0	Rejected		
<input type="checkbox"/>	<a href="#">GPM2019030000173</a>	1	303000142833			歌尔	潍坊	2019/03/15 12:00:0	Rejected		

1 Log in the Environmental Management system. Click on "Product List" to enter the interface of all products list

2 > Select "Rejected" in the "Status", then click on "Search" to search for all rejected Products.  
> Also, you can input Goertek product No with 12 digits to search for the specific product.

3 Click on "GPM No" to enter the interface of the product that need to be improved.

## Essential Information

History Version | Approver Log | Submit | Declaration

Goertek Product No.: [redacted] Product Description: [redacted] Files:  
Product Name: [redacted] Product Type: [redacted] Status: Rejected Product Approver: 李颖颖 Startup Status: 已启动  
Supplier Code: T12872 Supplier Name: [redacted] Revision: 1 Rejected Reason: 参考均质退回原因

4 You can see the rejected reason here.

5 Method 1: In this interface, click "HM code", enter the homogeneous material interface, make improvements based on the rejected reasons

Add Component | Add HM | Remove | Save | Product Weight: 6 | Unit: mg

No.	Component	Weight	Unit	Quant	HM Code	HM Name	HM Type	HM Class	Vendor	HM Status	HM Approv	HM Approv	Condition F	Rejected Reason
	[redacted]	1	mg	-	<a href="#">HM201807001378</a>	[redacted]	5	KL Other Organic	tesa	Rejected	李颖颖	2019/03/30	-	[redacted], 测试报

※ The rejected homogeneous material has an orange background  
※ the conditional approved homogeneous material has a yellow background. And it doesn't require any modification

# Rejection-Product Rejection

**Search Criteria**

HM Code:  HM Name:  Self-defined No:

Test Report No:  SerTek BU:  Test date from

**Homogeneous Material List**

	<input type="checkbox"/> HM Code	Revision	HM Name	Self-defined No
1	<input type="checkbox"/> <a href="#">HM201910002565</a>	1		007

6 Method 2 : Return to the HM list ,According to the "HM code to look up for the detail information of HM.

**MSDS** **Test Report Information**

Test Report Files

Test Item	Test Report No	Test Labor
1 <a href="#">Pb,Cd,Hg,Cr6</a>	CANEC1903675301	SGS

**Homogeneous Material**

**MSDS** **Test Report Information**

Substance Information

Test results in this column to fill in the ND, NA or specific v

Classification Of Hazardous	Test Result	Max Limit Content	Testing Comp	Exempt Item	Remark
-----------------------------	-------------	-------------------	--------------	-------------	--------

7 In this interface, click "HM code", enter the homogeneous material interface, make improvements based on the rejected reasons.

8 After finished , Save the corresponding contents. The modified content will be automatically updated to reference this homogeneous product.

当前位置: 环保管理>产品列表

### Essential Information

History Version | Approver Log | **Submit** | Declaration

Goertek Product No.: [redacted] Product Description: [redacted]

Product Name: [redacted] Product Type: null Status: [redacted]

Supplier Code: [redacted] Supplier Name: [redacted] Revision: [redacted]

+ Add Component | + Add HM | - Remove | **Save** | Product Weight: 2 Unit: [redacted]

<input type="checkbox"/>	No.	Component	Weight	Unit	Quant	HM Code	HM Name
<input type="checkbox"/>	HM201711001241	[redacted]	1	mg	-	HM201711001241	[redacted]
<input type="checkbox"/>	HM201807000667	[redacted]	1	mg	-	HM201807000667	[redacted]

9 After finish all the improvements, click on "Save, and Submit", resubmit to Goertek.

## Search Criteria

HM Code :  HM Name :  Self-defined No:  HM Type :  Vendor :  Status : --All--  
Test Report No :  GoerTek BU:  Test date from  To  Overdue report :

**1**

**1**

**1** Log in Goertek SRM system-Environmental Management module , click on "HM List" , enter the HM interface. You can select Rejected and click search ,then you can see all of the rejected HM.

## Homogeneous Material List

### Homogeneous Material List

<input type="checkbox"/>	HM Code	Revision	HM Name	Self-de	HM Type	HM Class	GoerTek BU	Vendor	Status	Rejected Reason	Test date
<input type="checkbox"/>	HM201711001602	3		32000		Other Organic			Rejected	检测报告过期需尽快更新。	8/14

**2** You can view the rejected reasons here. And make improvements based on the rejected reasons.

### Base Information

HM Code: HM201711001602 Revision: 3 Self-defined No:  
HM Class: Other Organic Materials Vendor: HM Type:  
Goertek BU: Agent :

**3** Find the homogeneity that needs to be improved, click on "HM Number " to enter the HM interface.

### Homogeneous Material

CAS_NO	Chemical Name	Content(...)	Exempt Item	Remark	Dele...
--------	---------------	--------------	-------------	--------	---------

**4** After finish all the improvements, click on "Save, and Submit", resubmit to Goertek.



# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection

Change

Update Expired Report

Online survey

Q&A

**If the product has changes affecting the environmental properties such as raw materials, production sites and suppliers, Goertek will initiate the changes, which shall be carried out by Goertek. The supplier may ignore this step.**

When Goertek initiates a change, the supplier receives a notification email and the current status of the product is changed to "Requested". The supplier shall re-upload the environmental data according to the changed content.

**Search Criteria**

Goertek  Product  歌尔事业部:  Status: --All--

Product No:  Name:

**Product List**

<input type="checkbox"/>	GPM No	Revis	Goertek Product No	Product Descption	Product Name	Product Type	Supplier Name	Supplier Site	Request Complete	Status	Rejec
1	<input type="checkbox"/> <a href="#">GPM2020010000198</a>	2	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	2019/01/30 12:00:00	Requested	<input type="text"/>

# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection

Change

**Update Expired Report**

Online survey

Q&A

# Update Expired Report

发件人: [ESP](#)  
发送时间: 2020-03-18 12:02  
收件人: [\[redacted\]@ex.com](#)  
主题: Goertek 均质材料测试报告到期提醒  
尊敬的供应商:

1

贵公司提交的以下均质材料对应的测试报告即将到期或已经过期, 请尽快登陆系统进行更新。

均质材料编号	版本号	均质材料名称	过期检测报告	过期时间
HM201903001788	2	Heat sensitive sided tape	Heat sensitive 3410 ROHS6项 Halogen CE201934323 20190326.pdf	2020-03-25

※此信件为系统自动发出, 请勿直接回复, 感谢您的配合。

1  
A notification will be sent to suppliers before 30 days when the report will be expired. Please log in the Goertek G-SRM system to update expired report when you receive the notification . The notification will be sent to suppliers again one week before expiration if you do not update report.

发件人: [esp.noreply@goertek.com](mailto:esp.noreply@goertek.com) [<mailto:esp.noreply@goertek.com>]  
发送时间: 2020年3月13日 12:01  
收件人: [\[redacted\]@goertek.com](#)  
主题: Goertek 均质材料测试报告到期提醒

2

尊敬的供应商:  
贵公司提交的以下均质材料对应的测试报告即将到期或已经过期, 请尽快登陆系统进行更新。

均质材料编号	版本号	均质材料名称	过期检测报告	过期时间
HM201907000478	1	胶0.009	[redacted] 03.07.PDF	2020-03-06
HM201801000120	4	胶0.009	[redacted] 07.PDF	2020-03-06
HM201808001700	3	胶0.009	[redacted].PDF	2020-03-06

※此信件为系统自动发出, 请勿直接回复, 感谢您的配合。

2  
➢ If the report is already expired , the notification will be sent to you each week, until the expired report is updated.  
➢ If the product has been no longer supplied to Goertek , you can contact with Goertek GPM to set "obsolete" for it. After suspended, if there is still other product reference it , the notification will not be sent to you ; otherwise , you need to update the report continually.

# Update Expired Report

**Environmental Mana...**

**Product List** 1

**List of Homogeneous ...**

**Base Information**

Update 4

Library Version | Approver Log | HM Copy

**Homogeneous Material List**

Create | Delete

	HM Code	Rev
1	HM202006001524	

**Base Information**

Save Info | Commit 7 | Version | Approver Log | HM Copy

HM Code: HM202006001524 | Revision: 2 | Self-defined No: 017

HM Name: | HM Class: Others 其他 | Vendor: |

HM Type: | Supplier: | Goertek BU: SPK

Agent: |

**Homogeneous Material** 5

MSDS | **Test Report Information**

Test Report Files

Add | Edit 6

	Test Item	Test Report No	Test Laboratory	Test Date	Validity Pe	Due Time	Test Report Files	Operation
1	Cl,Br	...	SGS	2020/01/03	1	2021/01/02	...	Delete

1 click on "List of Homogeneous", enter the HM list interface.

2 Input "HM Code" to search for the homogeneous material with expired report(e.g HM202006001524), then click on "search" to search for the homogeneous material.

3 Click HM Code:HM202006001524, enter the detailed homogeneous material interface.

4 Click on "Update" , and "ok" , then you can edit homogeneous info and test report.

5 Click on "Test Report Information" , enter the test report interface to update the expired report.

6 Select the expired report row ,click on "Edit" to update the report and edit the updated report info.

7 click on "commit", The updated report automatically updates to all products that reference this homogeneous material

# Update Expired Report

## Search Criteria

HM Code:  HM Name:  Self-defined No:  HM Type:  Vendor:  Status: --All--

Test Report No:  GoerTek BU:  Test date from  To   Overdue report:  **7**

## Homogeneous Material List

**7**

- You can select "Overdue report" to search for all of the expired reports.
- You can search for reports by inputting a certain time period.
- Please update all of the expired reports.

## Search Criteria

HM Code:  HM Name:  Self-defined No:  HM Type:  Vendor:  Status: --All--

Test Report No:  GoerTek BU:  Test date from 2020-05-01  To 2019-05-31  Overdue report:  **7**

# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection

Change

Update Expired Report

Online survey

Q&A

## Procedure of online survey





When Goertek initiates an investigation request in the SRM system and the supplier will receive the following message.  
After receiving the mail, please log in the system to complete the investigation.

发件人: [esp.noreply@goertek.com](mailto:esp.noreply@goertek.com) [<mailto:esp.noreply@goertek.com>]  
发送时间: 2019年2月14日 09:07  
收件人: [REDACTED]@X.COM  
主题: Goertek GPMS 有害物质调查通知

尊敬的供应商: [REDACTED]有限公司,

Goertek环保管理系统”发起了关于“REACH 法规197项SVHC物质含有情况调查”的调查, 调查编号: DOC0000000000002121已发布, 请贵司在2019/2/28前调查完毕, 并将调查表上传系统。

调查主题: 2019.1.15日REACH 法规新增6项SVHC 候选物质, 至此SVHC 候选物质共197项。为保证贵公司产品持续满足法律法规及我司的要求, Goertek-SPK需要调查贵公司产品中REACH 法规新增6项 SVHC物质含有情况。

请填写附件: 《SVHC 含有情况调查表(197项)》并在线回传, 2019.2.28前完成。

系统地址: <http://esp.goertek.com:8070/Login.aspx>

歌尔股份有限公司  
2019/2/14

注意:

1. 此邮件由歌尔e-SP供应商平台自动发出, 请勿直接回复, 如有问题请联系对应的业务接口人;
2. e-SP平台不支持IE11以下版本的IE浏览器, 建议使用版本较新的火狐浏览器、谷歌浏览器、360浏览器或搜狗浏览器。

Current Position: Environmental Management > Online Survey

Personal workbench

Supplier operation c...

Environmental Mana...

Product List

List of Homogeneous ...

The Parts List

**Online Survey** 1

User Information

Help Document

Company Information

**Search Criteria**

Survey number.:  Status: --All-- Survey Date from:  To:

**Survey List**

	Survey number.	Survey Topic	Survey Text
1	<a href="#">DOC00000000000003225</a> 2	台环保管理现状及测试能力调查	为了解供应商环保管理现状及测试能力, 请配合填写附件《供方环保管理现状及测试能力调查表》, 9.20完成并回传。
2	<a href="#">DOC00000000000002743</a>	REACH 法规201项SVHC物质含有情况调查	2019年7月16日, 欧洲化学品管理局 (ECHA) 正式公布REACH法规第21批SVHC物质, 将4种新的物质加入到高度关注物质 (SVHCs) 候选物质清单。至此, SVHC候选清单共包含201种物质。为保证贵公司产品持续满足法律法规及我司的要求, Goertek-spk调查贵公司产品中REACH法规新增4项SVHC物质含有情况。请填写附件《SVHC含有情况表 (201项)》并在线回传, 2019.08.03前完成。
3	<a href="#">DOC00000000000002629</a>	11种化学品有害物质调查	2019年4月24日, 新加坡国家环境局 (NEA) 声称由斯德哥尔摩公约和鹿特丹公约提出的11种化学品 (参考附件) 列入国际公约的附件, 其于2019年6月在宪报刊登对这些物质的控制。为保证贵公司产品持续满足法律法规及我司的要求, Goertek-SPK需要调查贵公司产品中11种有害物质含有情况。请填写附件2: 《11种化学品有害物质含有情况调查表》, 2019.06.29日前盖公章回传。
			Goertek GGS0058 《器件产品环保技术标准》换版为Ver12, 具体变更点参考附件改版说明, 请于2019年8月31日前完成回传。

1 Click on "Online Survey", enter the Online Survey interface. You can see the online survey that needs to be processed.

2 Click on Survey number, enter the detailed survey interface.

the list of files



Survey file list **3** n file list

Survey Text

2020年1月16日，欧洲化学品管理局（ECHA）正式公布REACH法规第22批SVHC候选物质，将4种新的物质加入到高度关注物质（SVHCs）候选物质清单。至此，SVHC候选物质清单共包含205种物质。为保证贵公司产品持续满足法律法规及我司的要求，Goertek-spk需要调查贵公司产品中REACH法规新增4项SVHC物质含有情况。请填写附件《SVHC含有情况调查表（205项）》并盖章后在线回传，2020.2.29前完成。

File Name	Remarks	Operation
SVHC含有情况调查表（205项）.xls		<a href="#">Download</a> <b>4</b>



- 3** In the "Survey file list", you can find the Survey Text and the questionnaire
- 4** Click on "Download" to download the questionnaire. Fill in the contents of the questionnaire.



5 Click on "Return file list" , , Upload the completed questionnaire in this interface.

6 Click on "选择文件" and upload the completed questionnaire.

7 Click on "Save " and "OK".



8 Click on "Return " and "OK".

9 Click on "OK" . At this time, you complete the questionnaire.

# CONTENTS



Content One



Content Two



Content Three



Content Four



Content Five



Content Six



Content Seven



Content Eight

System introduction

Upload data

Rejection

Change

Update Expired Report

Online survey

Q&A

## Q&amp;A for System

Q1: Why Some PDF documents could not be uploaded or meet an upload error.

Q2: CAS NO. cannot be found in the database. What should I do?

Q3:What are the requirements for third-party laboratories ?

Q4:For the same material in different color, can we use the same test report?



A1:File names do not support special symbol #,? %, &, +, etc.

A2: Submit the correct CAS NO. and substance name ,contact the corresponding environmental administrator for addition.

A3: laboratory must be certified by ISO17025.

A4:No, Materials tested must be homogeneous . different color material need to be tested separately.

# **Green Product Management**

# **Thanks**